

TECHNICAL DATA SHEET

Anucolour "Pigment Yellow LFY"

Full Tone



Mass Tone



Product Description

Colour Index Name	Pigment Yellow 65
Colour Index No.	11740
CAS Number	6528-34-3
Chemical Name	Mono Azo Pigment

Properties

pH	6-7
Bulk Density	0.44 ml/ 100gm
Water Soluble Matter	Max 1.0%
Oil Absorption	78 gm/100gm
Moisture Content	Max 1.0%
Specific Gravity	1.4 gms/ cc

Resistance to (1 Poor - 5 Excellent)

Xylene	3
Ethanol	2-3
Ethyl Acetate	3-4
MEK	3
Water	3
Acid 5% HCL	5
Alkali 5% NaOH	5
Soap Solution	5

Resistance to Heat

180°C/ 10 min	Stable
---------------	---------------

Resistance to Light (1 Poor - 8 Excellent)

Full Tone	5-6
Tint Tone (1:10)	5-6

Applications

Recommendations

Paints	✓
Printing Ink	✓

DISCLAIMER:

The recommendations made in this product list are based on laboratory evaluations as well as field experience gained over the years and are correct to the best of our knowledge and belief. However, customers are requested to test the same in their formulations and equipment to establish the suitability in their own environment.